

|   | <b>Hits</b> | <b>Search Text</b>  | <b>DBs</b>   |
|---|-------------|---|--|
| 1 | 86          | (version\$1 with (compatib\$4 or compatibilit\$3)) and schema\$2 and up\$1ward\$1 and down\$1ward\$1 and @ad < "20021030"     | US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM _ TDB |
| 2 | 61          | 13 and ((maintain\$4 or preserv\$4 or keep\$4 or retain\$4 or sustain\$4) with name\$1) and @ad < "20021030"                  | US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM _ TDB |
| 3 | 32          | 14 and namespace\$1 and model\$1  | US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM _ TDB |
| 4 | 32          | 15 and type\$1 and structure\$1 and (xml or (extensible adj mark\$1up adj language\$1))                                       | US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM _ TDB |
| 5 | 1030        | (downward with compatib\$5)   | US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM _ TDB |
| 6 | 0           | 20 and type\$1 and structure\$1 and ((xml or (extensible adj mark\$1up adj language\$1)) with schema\$3) and @ad < "20021030" | US - PGPUB ; USPAT ; EPO ; JPO ; DERWENT ; IBM _ TDB |

|    | <b>Hits</b> | <b>Search Text</b>   | <b>DBs</b>  |
|----|-------------|--|---|
| 7  | 1           | 20 and ((xml or (extensible adj mark\$1up adj language\$1)) with schema\$3) and @ad < "20021030"   | US - PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 8  | 3           | 20 and (xml or (extensible adj mark\$1up adj language\$1)) and schema\$3 and @ad < "20021030"  | US - PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 9  | 0           | ((new and old) with schema\$1) and @ad < "20021030" and up\$1ward and down\$1ward and name\$1 and namespace\$1   | US - PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |
| 10 | 32          | ((new and old) with schema\$1) or versions) and @ad < "20021030" and up\$1ward and down\$1ward and name\$1 and namespace\$1 and (xml or (extensible adj mark\$1up adj language\$1) ) | US - PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB |

136 (schema\$2 same version\$1 same (chang\$4 or modification\$1 or modif\$5 or alter\$5 or amend\$4)) and (xml or (extensible adj markup adj language\$1)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

67 1 and (compatible or congruent or compatibilit\$3) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

3 2 and (schema\$2 with name\$1 with ("same" or unchanged or identical or preserved or alike or maintained or kept or sustained or upheld)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

6 1 and (schema\$2 with name\$1 with ("same" or unchanged or identical or preserved or alike or maintained or kept or sustained or upheld)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

3 4 not 3 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

125 (schema\$2 with name\$1 with ("same" or unchanged or identical or preserved or alike or maintained or kept or sustained or upheld)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

119 6 not 3 not 5 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

57 8 and (xml or (extensible adj markup adj language\$1)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

1 9 and (schema\$2 with version\$1) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

0 9 and (schema\$2 same version\$1 same (chang\$4 or modification\$1 or modif\$5 or alter\$5 or amend\$4)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

2 8 and (schema\$2 same version\$1 same (chang\$4 or modification\$1 or modif\$5 or alter\$5 or amend\$4)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

167 (schema\$2 with (compatible or congruent or compatibilit\$3)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

1 (schema\$2 with (compatible or congruent or compatibilit\$3) with downward) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

1 (schema\$2 same (compatible or congruent or compatibilit\$3) same downward) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

7 (schema\$2 with (compatible or congruent or compatibilit\$3) ) and downward and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

6 24 not 23 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

23 (schemas with (compatible or congruent or compatibilit\$3)) and @ad < "20021030" US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

8 26 and (xml or (extensible adj markup adj language\$1)) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

2 (schemas same inheritance ) and (xml with schema\$1 with version\$1) and @ad < "20021030" and map\$4 and date\$1 US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

0 28 and downward US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB

2 28 and (compatible or congruent or compatibilit\$3) US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM\_TDB